


LIST OF RECOMMENDED AND NON RECOMMENDED PROJECTS UNDER 2025 FUNDING


S/ N	NAME OF PROJECT	Project Description	WARD	STATUS	JUSTIFICATION
1	Construction of 1x3 CRB at Mutale Primary School	Construction of 1x3 CRB at Mutale Primary School	Lwazamba	RECOMMENDED	Limited Infrastructure
2	Machembele Kibabutokwa	Construction of Latrines	Mwandi	NOT RECOMMENDED	Prioritised the construction of ablution at Mwandi East Primary in order to provide adequate sanitation for learners and open the school
3	Rehabilitation of Sooka Primary School Staff House	Rehabilitation of Staff house at Sooka Primary School	Mwandi	NOT RECOMMENDED	the CDFC prioritised provision of Classroom blocks
4	Rehabilitation of Solar Powered Borehole at Sooka Primary School	Rehabilitation of Solar Powered Borehole	Mwandi	NOT RECOMMENDED	Rehabilitation of the ilute yeta water schem prioritised as it is only boarding facility in district
5	Construction of 1x3 CRB at Sooka Primary School	Construction of 1x3 CRB to address shortage of classrooms	Mwandi	NOT RECOMMENDED	schools with a greater need for classrooms were prioritised
6	Simpu Community Water Project	Drilling of borehole in Simpu community located in Sikuzu Zone	Mwandi	NOT RECOMMENDED	ilute yeta and sankolonga were prioritised for provision of water as they would serve a larger population
7	Construction of Libuyu Community School Solar Powered Borehole	Construction of Solar Powered Borehole	Mabumbu	NOT RECOMMENDED	locations with populations with higher need of safe water prioritised given limited funds
8	Construction of Girls and Boys Hostels	Construction of hostels at Lipumpu Secondary School	Loanja	NOT RECOMMENDED	Prioritised construction of classrooms in schools with




					limited classroom space
9	Construction of a staff house at Sooka Primary School	Construction of staff house	Mwandi	NOT RECOMMENDED	Priority given to construction of classrooms
10	Construction of Mother's Shelter at Kalundu Primary School	Construction of Mother's Shelter in Kalundu	Kalundu	NOT RECOMMENDED	Construction of Mwandi Mission mother's shelter prioritised as it would serve a higher population
11	Construction of Police Post at Magumwi	Construction of Police Post	Magumwi	NOT RECOMMENDED	Priority given to address water and sanitation challenge in public institutions
12	Construction of 1x3 CRB at Sikuzu Primary School	Construction of 1x3 CRB	Mwandi	NOT RECOMMENDED	other areas in greater need of infrastructure
13	Drilling of Solar Powered Borehole for Namakolwa Community	Drilling of Solar Powered Borehole	Mwandi	NOT RECOMMENDED	lute yeta and sankolonga were prioritised for provision of water as they would serve a larger population
1	Construction of Semidetached Staff House at Lwazamba Health Post	Construction of Semidetached Staff	Lwazamba	NOT RECOMMENDED	Prioritised provision of Classrooms
4	Construction of Water borne toilets at Namuzingu Primary School	Construction of water borne toilets (ablution block) with solar powered or electrical pump	Lutaba	NOT RECOMMENDED	Priority given to Mwandi East Primary School as it is newly opened
15	Drilling of Kayumbwana 2 Borehole	Drilling of borehole in Kayumbwana area of Lutaba	Lutaba	NOT RECOMMENDED	lute yeta and sankolonga were prioritised for provision of water as they would serve a larger population



16	Construction of 1x3 CRB at Kamagubu Community School	Construction of 1x3 CRB at Kamagubu Community School	Adonsi	NOT RECOMMENDED	Limited funding accommodate school among prioritised projects
17	Upgrading of Siwa Hand pump to Solar Powered Borehole	Upgrading borehole to solar powered borehole for crop and agriculture production	Lwazamba	NOT RECOMMENDED	lute yeta and sankolonga were prioritised for provision of water as they would serve a larger population
18	Construction of Water Sytem and ablution block at Lutaba Market	Construction of Water Sytem and ablution block at Lutaba Market	Lutaba	NOT RECOMMENDED	lute yeta and sankolonga were prioritised for provision of water as they would serve a larger population
19	Construction of Staff house at Lwanza Primary School	Construction of Staff house at Lwanza Primary School	Mushukula	NOT RECOMMENDED	Construction of Classrooms prioritised
20	Drilling of Lutunda Farm Block Solar Powered Borehole	Drilling of Lutunda Farm Block Solar Powered Borehole	Mabumbu	NOT RECOMMENDED	lute yeta and sankolonga were prioritised for provision of water as they would serve a larger population
21	Drilling of Nawinda Royal Village Solar Powered Borehole	Drilling of Nawinda Royal Village Solar Powered Borehole	Mabumbu	NOT RECOMMENDED	lute yeta and sankolonga were prioritised for provision of water as they would serve a larger population
22	Supply of Water to Kande Community	Drilling of borehole	Mabumbu	NOT RECOMMENDED	lute yeta and sankolonga were prioritised for provision of water as they would serve a larger population
23	Installation of Solar Powered Borehole at Lutaba Primary School	Installation of Solar Powered Borehole at Lutaba Primary School	Lutaba	NOT RECOMMENDED	lute yeta and sankolonga were prioritised for provision of water as they would serve a larger population




24	Installation of Namanjanga Primary School Solar Powered Borehole	Installation of Namanjanga Primary School Solar Powered Borehole	Simungoma	NOT RECOMMENDED	Ilute Yeta and Sankolonga school were prioritised for provision of water as they would serve a larger population
25	Construction 1x5 CRB at Lipumpu Secondary School	Construction 1x5 CRB at Lipumpu Secondary School	Loanja	NOT RECOMMENDED	Priority given to schools with higher infrastructure needs
26	Procurement of furniture for Matoya Health Facility	Procurement of furniture for Matoya Health Facility	Mwandi	NOT RECOMMENDED	construction of level 2 Mother's shelter in Mwandi prioritised
27	Installation of Solar Powered Borehole at Silamani	Installation of Solar Powered Borehole at Silamani	Mabumbu	NOT RECOMMENDED	Ilute Yeta and Sankolonga school were prioritised for provision of water as they would serve a larger population
28	Construction of 1x3 CRB at Ilute Yeta Secondary School	Construction of 1x3 CRB at Ilute Yeta Secondary School	Mwandi	NOT RECOMMENDED	Prioritised the provision of safe water at Ilute Yeta Secondary School
29	Drilling of Mafanda Community Borehole	Drilling of Mafanda Community Borehole	Mabumbu	NOT RECOMMENDED	Prioritised the provision of safe water at Ilute Yeta Secondary School
30	Drilling of Borehole in Lizwai Area	Drilling of Borehole in Lizwai Area	Mabumbu	NOT RECOMMENDED	Ilute yeta and sankolonga were prioritised for provision of water as they would serve a larger population
31	Drilling of Borehole in Lwaneka Community	Drilling of Borehole in Lwaneka Community	Mabumbu	NOT RECOMMENDED	Ilute yeta and sankolonga were prioritised for provision of water as they would serve a larger population
32	Construction of 1x3 at Manyemwe Primary School	Construction of 1x3 at Manyemwe Primary School	Kalundu	NOT RECOMMENDED	Schools such as Mutema with less infrastructure were prioritised




33	Upgrading of three (3) boreholes at Manyemwe	Upgrading of three (3) boreholes at Manyemwe	Kalundu	NOT RECOMMENDED	lute yeta and sankolonga were prioritised for provision of water as they would serve a larger population
34	Installation of security lights at Kalundu Primary School	Installation of security lights at Kalundu Primary School	Kalundu	NOT RECOMMENDED	provisiom of water and sanitation , classroom space prioritised
35	Construction of Mother's Shelter at Kalundu Rural Health Post	Construction of Mother's Shelter at Kalundu Rural Health Post	Kalundu	NOT RECOMMENDED	provisiom of water and sanitation , classroom space prioritised
36	Rehabilitation of Mushukula Local Court and two toilets	Rehabilitation of Mushukula Local Court and two toilets	Mushukula	NOT RECOMMENDED	provisiom of water and sanitation , classroom space prioritised
37	Provision of Electricity at Sankolonga Primary School	Provision of Electricity at Sankolonga Primary School	Sankolonga	NOT RECOMMENDED	provisiom of water and sanitation , classroom space prioritised
38	Construction of 1x3 CRB at Sankolonga Primary School	Construction of 1x3 CRB at Sankolonga Primary School	Sankolonga	NOT RECOMMENDED	prioritised construction of infrastructure in schools with higher need
39	Provision of electricity at Sankolonga Clinic and staff houses	Provision of electricity at Sankolonga Clinic and Construction of staff houses	Sankolonga	NOT RECOMMENDED	provisiom of water and sanitation , classroom space prioritised
40	Construction of Staff house at Sankolonga Clinic	Construction of Staff house at Sankolonga Clinic	Sankolonga	NOT RECOMMENDED	Prioritised provision of level 2 Mother's Shelter in Mwandi
41	Construction of 1x3 CRB at Lupani Primary School	Construction of 1x3 CRB at Lupani Primary School	Sankolonga	NOT RECOMMENDED	prioritised construction of infrastructure in schools with higher need
42	Construction of two staff houses at Lupani Primary School	Construction of two staff houses at Lupani Primary School	Sankolonga	NOT RECOMMENDED	Priortiry given to classrooms, water and sanitation



43	Supply of fresh water at Lupani Primary School	Drilling of solar powered borehole at Lupani Primary School	Sankolonga	NOT RECOMMENDED	lute yeta and sankolonga were prioritised for provision of water as they would serve a larger population
44	Construction of 1x3 CRB at Sambututu Community	Increase classroom space by constructing additional 1x3 CRB at Sambututu Primary School	Magumwi	NOT RECOMMENDED	prioritised construction of infrastructure in schools with higher need
45	Construction of Staff House for Loanja Primary Health Care Unit	Construction of Staff House for Loanja Primary Health Care Unit	Loanja	NOT RECOMMENDED	Construction of classrooms was prioritised
46	Construction of staff house at Lusinina Primary School	Construction of staff house at Lusinina Primary School	Chisu	NOT RECOMMENDED	Construction of classrooms was prioritised
47	Construction of 1x3 CRB at Lusinina Primary School	Construction of 1x3 CRB at Lusinina Primary School	Chisu	NOT RECOMMENDED	Prioritised schools with limited infrastructure
48	Drilling of Solar Powered Borehole	Drilling of Solar Powered Borehole	Chisu	NOT RECOMMENDED	lute yeta and sankolonga were prioritised for provision of water as they would serve a larger population
49	Construction of Maize Storage Shade in Lusinina	Construction of Maize Storage Shade in Lusinina	Chisu	NOT RECOMMENDED	Prioritised provision of water and sanitation as well as classroom space
50	Construction of staff house at Chisu Clinic	Construction of staff house at Chisu Clinic	Chisu	NOT RECOMMENDED	Prioritised construction of Mother's Shelter in Mwandu.
51	Opening of road from Lilonga to Lusinina	Opening of road from Lilonga to Lusinina	Chisu	NOT RECOMMENDED	Limited funds to include road among prioritised roads
52	Construction of 1x2 Early Childhood Classroom and	Construction of 1x2 Early Childhood Classroom and	Chisu	NOT RECOMMENDED	prioritised construction of infrastructure



	Ablution block at Chisu Primary School	Ablution block at Chisu Primary School			schools with higher need
53	Drilling of three boreholes in Kazungwe Zone	Drilling boreholes in Kahoto, Mwinano and Ibangwe Village respectively	Chisu	NOT RECOMMENDED	Reticulation system provided at school other wards were prioritised
54	Grading of road from Chisu to Kazungwe	Grading of road from Chisu to Kazungwe	Chisu	NOT RECOMMENDED	Prioritised provision of water and sanitation as well as classroom space
55	Construction of Martenity Wing at Lusinina Clinic	Construction of Martenity Wing at Lusinina Clinic	Chisu	NOT RECOMMENDED	Priority was given to construct mother's shelter at Mwandu Mission which serves a larger population
56	Installation of solar system and extension of Lusinina Clinic	Install solar system, extend clinic and construct incinerator pit	Chisu	NOT RECOMMENDED	Prioritised provision of water and sanitation as well as classroom space
57	Construction of Ablution block at Lusinina Primary School	Construction of Ablution block at Lusinina Primary School	Chisu	NOT RECOMMENDED	Priority was given to a newly opened school with no sanitation facilities
58	Construction of Malonga Primary Health Care Unit	Construction of PHCU in Malonga	Lwazamba	RECOMMENDED	No health facility in the area
59	Construction of 1x3 Classroom Block at Mutuwapafa Primary School	Construction of 1x3 CRB	Loanja	RECOMMENDED	infrastructure at school in a deplorable state
60	Construction of Mwandu Mission Mother's Shelter	Construct level 2 mother's shelter at Mwandu Mission Hospital	Mwandu	RECOMMENDED	Health facility serves the largest population among the health facilities
61	Feeder Road from Sooka to Sikuzu Primary School	Opening of feeder road from Sooka to Sikuzu Primary School	Mwandu	RECOMMENDED	Enhance access to school and health facilities



62	Construction of Nakamba 1x3 CRB	Construction of Nakamba 1x3 CRB	Adonsi	RECOMMEN DED	Provide adequate classrooms for learners
63	Installation of Reticulation system in Sankolonga	Source water from non saline area through a water system to supply part of Sankolonga ward	Sankolonga	RECOMMEN DED	to provide safe and clean water in Sankolonga ward, which is highly affected by saline underground water
64	Rehabilitation of Ilute Yeta Water Reticulation System	Rehabilitation of Ilute Yeta Water Reticulation System	Mwandi	RECOMMEN DED	To address the water challenges at ilute water
65	Construction of Mwandi East Ablution Block	Construction of Mwandi East Ablution Block	Mwandi	RECOMMEN DED	In order to provide Sanitation to newly opened School
66	Procurement of Grader	Purchase grader for the construction and maintenance of feeder roads in the district	District	RECOMMEN DED	In order to expedite Maintainance of roads in the district
67	Small Compactor	Purchase Small Compactor for the construction and maintenance of feeder roads in the district	District	RECOMMEN DED	In order to expedite maintainance of roads in the district

